

EVD Treatment Algorithm (v3.0)

Patient has screened **POSITIVE** for both EVD EXPOSURE and SYMPTOMS

Allow only the **FEWEST NUMBER** of personnel possible to administer treatment. **IDEALLY ONLY ONE PROVIDER**

Don PPE per consultation with County EMS Medical Director

Wrap the patient in blanket/sheet "burrito style" with access to the head
Apply surgical mask to the patient if condition permits

Can the patient assist with their care?

NO

YES

Ask the patient to:
Apply surgical mask
Apply gloves
Apply coverall

Unless directed by County EMS Medical Director
PATIENT CARE:
Use only disposable equipment
IVs for life-saving measures with probable benefit only
Do Not Intubate
Use BLS airway techniques or place King Airway
NO IN or aerosolized medications
IM midazolam for delirium or agitation only if necessary
NO procedures in a moving ambulance

FAMILY and BYSTANDERS

Persons in direct contact with suspected EVD patients are to remain in the location they are found until cleared by County Health Department

Minors may be transported with one parent in the patient compartment only

LOW RISK
Transport may be done by conventional ambulance using standard precautions

Transport Selection: as determined by County EMS Medical Director

HIGH RISK
Transport will be done by a regionally designated Ebola Transport Unit

PRIOR to transport notify URM-C-SMH Adult Medical Control Request Attending Physician (585) 271-2769

TRANSPORT:
ALL patients will be transported to URM-C-SMH

TRANSFER OF CARE:
Wait in the ambulance until approached by staff in proper PPE

DECONTAMINATION:
Follow ALL current CDC recommendations at the direction of the receiving facility